

BUIZEN - PIPES - TUBES - ROHRE



	<i>Page</i>
A. STANDARD (PE-Xc/AL/PE-Xc)	5
B. RIXc (PE-Xc/AL/PE-Xc)	11
C. FLOOR (PE-RT/AL/PE-RT)	14
D. PROTECTION HOSE	15
E. GAS STANDARD (PE-Xc/AL/PE-Xc)	16

Uitleg van de artikelcode / Explanation of the article code / Explication du code article / Explication des Artikelnummers

100-140210 **100 = lengte van de rol / length of the coil / longueur du rouleau / Ringlänge**
14 = buitendiameter / outer diameter / diamètre extérieur / Aussendiameter
02 = wanddikte / wall thickness / épaisseur du tuyau / Wanddicke

A. STANDARD (PE-Xc/AL/PE-Xc)



TYPE: COIL



Henco meerlagenbuis (Rol)
Henco multilayer pipe (Coil)
Henco tube multicouche (Rouleau)
Henco Mehrschichtverbundrohr (Ring)

Article code	Packing m / pallet	Type	Subgr
50-140210 *	50 m	14x2	1.14S PB
100-140210	100 m / 2500 m	14x2	1.14S PB
200-140210	200 m / 3000 m	14x2	1.14S PB
50-160212	50 m / 1500 m	16x2	1.16S PB
100-160212	100 m / 2200 m	16x2	1.16S PB
200-160212	200 m / 2600 m	16x2	1.16S PB
• 500-160212	500 m / 2500 m	16x2	1.16S PB
100-180214	100 m / 1700 m	18x2	1.18S PB
200-180214	200 m / 2000 m	18x2	1.18S PB
100-200216	100 m / 1500 m	20x2	1.20S PB
50-260320	50 m / 800 m	26x3	1.26S PB
50-320326	50 m / 650 m	32x3	1.32S PB

* IDEAL FOR FUEL OIL

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

A. STANDARD (PE-Xc/AL/PE-Xc)

TYPE: STRAIGHT LENGTH



Henco meerlagenbuis (Stang)
Henco multilayer pipe (Straight length)
Henco tube multicouche (Barre)
Henco Mehrschichtverbundrohr (Stange)

Article code	Packing m / cylinder	Type	Subgr
02-160212	50 m	16x2	2.16S P B
03-160212	75 m	16x2	2.16S P B
04-160212	100 m	16x2	2.16S P B
05-160212	125 m	16x2	2.16S P B
02-180214	40 m	18x2	2.18S P B
03-180214	60 m	18x2	2.18S P B
04-180214	80 m	18x2	2.18S P B
05-180214	100 m	18x2	2.18S P B
02-200216	36 m	20x2	2.20S P B
03-200216	48 m	20x2	2.20S P B
04-200216	72 m	20x2	2.20S P B
05-200216	90 m	20x2	2.20S P B
02-260320	20 m	26x3	2.26S P B
03-260320	30 m	26x3	2.26S P B
04-260320	40 m	26x3	2.26S P B
05-260320	50 m	26x3	2.26S P B
02-320326	14 m	32x3	2.32S P B
03-320326	21 m	32x3	2.32S P B
04-320326	28 m	32x3	2.32S P B
05-320326	35 m	32x3	2.32S P B
02-403533	18 m	40x3,5	2.40S P B
03-403533	27 m	40x3,5	2.40S P B
04-403533	36 m	40x3,5	2.40S P B
05-403533	45 m	40x3,5	2.40S P B
02-504042	14 m	50x4	2.50S P B
03-504042	21 m	50x4	2.50S P B
04-504042	28 m	50x4	2.50S P B
05-504042	35 m	50x4	2.50S P B
02-634554	8 m	63x4,5	2.63S P B
03-634554	12 m	63x4,5	2.63S P B
04-634554	16 m	63x4,5	2.63S P B
05-634554	20 m	63x4,5	2.63S P B

A. STANDARD (PE-Xc/AL/PE-Xc)



TYPE: ISO4 (6 mm)



Voorgeïsoleerd (Rol)
Pre-insulated (Coil)
Préisolé (Rouleau)
Isoliert (Ring)

Article code	Packing m / pallet	Type	Subgr
100-IS04-14-RO	100 m / 1300 m	14x2 red	1.14SI4 P
100-IS04-14-BL	100 m / 1300 m	14x2 blue	1.14SI4 P
100-IS04-16-RO	100 m / 1300 m	16x2 red	1.16SI4 P
100-IS04-16-BL	100 m / 1300 m	16x2 blue	1.16SI4 P
50-IS04-18-RO	50 m / 650 m	18x2 red	1.18SI4 P
50-IS04-18-BL	50 m / 650 m	18x2 blue	1.18SI4 P
50-IS04-20-RO	50 m / 700 m	20x2 red	1.20SI4 P
50-IS04-20-BL	50 m / 700 m	20x2 blue	1.20SI4 P
25-IS04-26-RO	25 m / 300 m	26x3 red	1.26SI4 P
25-IS04-26-BL	25 m / 200 m	26x3 blue	1.26SI4 P
50-IS04-26-RO	50 m / 500 m	26x3 red	1.26SI4 P
50-IS04-26-BL	50 m / 500 m	26x3 blue	1.26SI4 P
25-IS04-32-RO	25 m / 225 m	32x3 red	1.32SI4 P
25-IS04-32-BL	25 m / 225 m	32x3 blue	1.32SI4 P

TYPE: ISO9 (10 mm)



Voorgeïsoleerd (Rol)
Pre-insulated (Coil)
Préisolé (Rouleau)
Isoliert (Ring)

Article code	Packing m / pallet	Type	Subgr
50-IS09-14-RO	50 m / 600 m	14x2 red	2.14SI9 P
50-IS09-14-BL	50 m / 600 m	14x2 blue	2.14SI9 P
50-IS09-16-RO	50 m / 650 m	16x2 red	2.16SI9 P
50-IS09-16-BL	50 m / 650 m	16x2 blue	2.16SI9 P
50-IS09-18-RO	50 m / 650 m	18x2 red	2.18SI9 P
50-IS09-18-BL	50 m / 650 m	18x2 blue	2.18SI9 P
50-IS09-20-RO	50 m / 500 m	20x2 red	2.20SI9 P
50-IS09-20-BL	50 m / 500 m	20x2 blue	2.20SI9 P
25-IS09-26-RO	25 m / 275 m	26x3 red	2.26SI9 P
25-IS09-26-BL	25 m / 275 m	26x3 blue	2.26SI9 P
• 50-IS09-26-RO	50 m / 400 m	26x3 red	2.26SI9 P
• 50-IS09-26-BL	50 m / 400 m	26x3 blue	2.26SI9 P
• 25-IS09-32-RO	25 m / 250 m	32x3 red	2.32SI9 P
25-IS09-32-BL	25 m / 250 m	32x3 blue	2.32SI9 P

A. STANDARD (PE-Xc/AL/PE-Xc)

TYPE: ISO13 (13 mm)



Voorgeïsoleerd (Rol)
Pre-insulated (Coil)
Préisolé (Rouleau)
Isoliert (Ring)

Article code	Packing m / pallet	Type	Subgr
50-ISO13-16-BL	50 m / 400 m	16x2 blue	3.16SI13 P
50-ISO13-18-BL	50 m / 400 m	18x2 blue	3.16SI13 P
50-ISO13-20-BL	50 m / 400 m	20x2 blue	3.20SI13 P
50-ISO13-26-BL	50 m / 400 m	26x3 blue	3.26SI13 P
25-ISO13-32-BL	25 m / 250 m	32x3 blue	3.32SI13 P

TYPE: ISO-EXZ13 (13 mm under, 6 mm above)



Voorgeïsoleerd excentrisch, 50% EnEv 2002 (Rol)
Pre-insulated eccentrically, 50% EnEv 2002 (Coil)
Préisolé excentrique, 50% EnEv 2002 (Rouleau)
Isoliert exzentrisch, 50% EnEv 2002 (Ring)

Article code	Packing m / pallet	Type	Subgr
50-ISO13-E16-BL	50 m / 500 m	16x2 blue	3.16SI13 P
25-ISO13-E20-BL	25 m / 250 m	20x2 blue	3.20SI13 P
25-ISO13-E26-BL	25 m / 225 m	26x3 blue	3.26SI13 P

TYPE: ISO-EXZ26 (26 mm under, 6 mm above)



Voorgeïsoleerd excentrisch, 100% EnEv 2002 (Rol)
Pre-insulated eccentrically, 100% EnEv 2002 (Coil)
Préisolé excentrique, 100% EnEv 2002 (Rouleau)
Isoliert exzentrisch, 100% EnEv 2002 (Ring)

Article code	Packing m / pallet	Type	Subgr
25-ISO26-E16-BL	25 m / 200 m	16x2 blue	4.16SI26 P
25-ISO26-E20-BL	25 m / 200 m	20x2 blue	4.20SI26 P
25-ISO26-E26-BL	25 m / 200 m	26x3 blue	4.26SI26 P

A. STANDARD (PE-Xc/AL/PE-Xc)



TYPE: STANDARD PIPE IN PIPE



Met mantel (Rol)
With colour coded conduit (Coil)
Avec gaine (Rouleau)
Mit Mantel (Ring)

Article code	Packing m / pallet	Type	Subgr
25-014MR	25 m / 800 m	14x2 red	1.14STP P
25-014MB	25 m / 800 m	14x2 blue	1.14STP P
25-014MBLACK	25 m / 800 m	14x2 black	1.14STP P
50-014MR	50 m / 800 m	14x2 red	1.14STP P
50-014MB	50 m / 800 m	14x2 blue	1.14STP P
50-014MBLACK	50 m / 800 m	14x2 black	1.14STP P
100-014MR	100 m / 1000 m	14x2 red	1.14STP P
100-014MB	100 m / 1000 m	14x2 blue	1.14STP P
100-014MBLACK	100 m / 1000 m	14x2 black	1.14STP P
25-016MR	25 m / 800 m	16x2 red	1.16STP P
25-016MB	25 m / 800 m	16x2 blue	1.16STP P
25-016MBLACK	25 m / 800 m	16x2 black	1.16STP P
50-016MR	50 m / 800 m	16x2 red	1.16STP P
50-016MB	50 m / 800 m	16x2 blue	1.16STP P
50-016MBLACK	50 m / 800 m	16x2 black	1.16STP P
100-016MR	100 m / 1000 m	16x2 red	1.16STP P
100-016MB	100 m / 1000 m	16x2 blue	1.16STP P
100-016MBLACK	100 m / 1100 m	16x2 black	1.16STP P
50-018MR	50 m / 800 m	18x2 red	1.18STP P
50-018MB	50 m / 800 m	18x2 blue	1.18STP P
50-018MBLACK	50 m / 800 m	18x2 black	1.18STP P
100-018MR	100 m / 1000 m	18x2 red	1.18STP P
100-018MB	100 m / 1000 m	18x2 blue	1.18STP P
100-018MBLACK	100 m / 1000 m	18x2 black	1.18STP P
25-020MR	25 m / 800 m	20x2 red	1.20STP P
25-020MB	25 m / 800 m	20x2 blue	1.20STP P
25-020MBLACK	25 m / 800 m	20x2 black	1.20STP P
50-020MR	50 m / 800 m	20x2 red	1.20STP P
50-020MB	50 m / 800 m	20x2 blue	1.20STP P
50-020MBLACK	50 m / 800 m	20x2 black	1.20STP P
50-026MR	50 m / 500 m	26x3 red	1.26STP P
50-026MB	50 m / 500 m	26x3 blue	1.26STP P
50-026MBLACK	50 m / 500 m	26x3 black	1.26STP P
25-032MR	50 m	26x3 red	1.32STP P
25-032MB	50 m	26x3 blue	1.32STP P
25-032MBLACK	50 m	26x3 black	1.32STP P

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

A. STANDARD (PE-Xc/AL/PE-Xc)

TYPE: COMBI STANDARD



Henco Combi (Rol)
Henco Combi (Coil)
Henco Combi (Rouleau)
Henco Combi (Ring)

Article code	Packing m / pallet	Type	Subgr
50-COMBI14	50 m / 500 m	14x2	2.14STP P
50-COMBI16	50 m / 500 m	16x2	2.16STP P
50-COMBI18	50 m / 500 m	18x2	2.18STP P


TYPE: LB



Dubbele radiatorbocht Henco buis Ø 16, doorverbonden einde
Henco carcassing pipe Ø 16
Double courbe radiateur, tube Henco Ø 16, bout rattaché
Heizkörperwinkel doppelt, Henco Rohr Ø 16, durchgestellt Ende

Article code	Packing m / pallet	Type	Subgr
LB45	1 m	45 mm	
LB50	1 m	50 mm	

TYPE: ISO-BLOCK-S



Dubbele radiatoraansluitbocht met isolatie, Ø 16, doorverbonden einde
Henco carcassing pipe Ø 16 with insulation
Double courbe radiateur, Ø 16, avec isolation, bout rattaché
Heizkörperwinkel doppelt mit Isolation, Ø 16, durchgestellt Ende

Article code	Packing m / pallet	Type	Subgr
ISO-BLOCK-S	1 m	ISO-BLOCK-S	

TYPE: ISO-BLOCK-L



Dubbele radiatoraansluitbocht met isolatie, Ø 16, doorverbonden einde
Henco carcassing pipe Ø 16 with insulation
Double courbe radiateur, Ø 16, avec isolation, bout rattaché
Heizkörperwinkel doppelt mit Isolation, Ø 16, durchgestellt Ende

Article code	Packing m / pallet	Type	Subgr
ISO-BLOCK-L	1 m	ISO-BLOCK-L	

B. RIXc (PE-Xc/AL/PE-Xc)



TYPE: COIL



Henco meerlagenbuis RIXc (Rol)
 Henco multilayer pipe RIXc (Coil)
 Henco tube multicouche RIXc (Rouleau)
 Henco Merschichtverbundrohr RIXc (Ring)

Article code	Packing m / pallet	Type	Subgr
• 50-R160212	50 m / 1500 m	16x2	1.16R PB
100-R160212	100 m / 2200 m	16x2	1.16R PB
200-R160212	200 m / 2600 m	16x2	1.16R PB
• 500-R160212	500 m / 2500 m	16x2	1.16R PB
• 100-R180214	100 m / 1700 m	18x2	1.18R PB
• 200-R180214	200 m / 2000 m	18x2	1.18R PB
100-R200216	100 m / 1500 m	20x2	1.20R PB
50-R260320	50 m / 800 m	26x3	1.26R PB
• 50-R320326	50 m / 650 m	32x3	1.32R PB

TYPE: STRAIGHT LENGTH



Henco meerlagenbuis RIXc (Stang)
 Henco multilayer pipe RIXc (Straight length)
 Henco tube multicouche RIXc (Barre)
 Henco Merschichtverbundrohr RIXc (Stange)

Article code	Packing m / pallet	Type	Subgr
02-R160212	50 m	16x2	2.16R P B
03-R160212	75 m	16x2	2.16R P B
04-R160212	100 m	16x2	2.16R P B
05-R160212	125 m	16x2	2.16R P B
• 02-R180214	40 m	18x2	2.18R P B
• 03-R180214	60 m	18x2	2.18R P B
• 04-R180214	80 m	18x2	2.18R P B
• 05-R180214	100 m	18x2	2.18R P B
02-R200216	36 m	20x2	2.20R P B
03-R200216	48 m	20x2	2.20R P B
04-R200216	72 m	20x2	2.20R P B
05-R200216	90 m	20x2	2.20R P B
02-R260320	20 m	26x3	2.26R P B
03-R260320	30 m	26x3	2.26R P B
04-R260320	40 m	26x3	2.26R P B
05-R260320	50 m	26x3	2.26R P B
• 02-R320326	14 m	32x3	2.32R P B
• 03-R320326	21 m	32x3	2.32R P B
• 04-R320326	28 m	32x3	2.32R P B
• 05-R320326	35 m	32x3	2.32R P B

B. RIXc (PE-Xc/AL/PE-Xc)

TYPE: ISO4 (6 mm)



RIXc Voorgeïsoleerd (Rol)

RIXc Pre-insulated (Coil)

RIXc Préisolé (Rouleau)

RIXc Isoliert (Ring)

Article code	Packing m / pallet	Type	Subgr
100-ISO4-R16-RO	100 m / 1300 m	16x2 red	1.16RI4 P
100-ISO4-R16-BL	100 m / 1300 m	16x2 blue	1.16RI4 P
• 50-ISO4-R18-RO	50 m / 650 m	18x2 red	1.18RI4 P
• 50-ISO4-R18-BL	50 m / 650 m	18x2 blue	1.18RI4 P
50-ISO4-R20-RO	50 m / 700 m	20x2 red	1.20RI4 P
50-ISO4-R20-BL	50 m / 700 m	20x2 blue	1.20RI4 P
• 25-ISO4-R26-RO	25 m / 300 m	26x3 red	1.26RI4 P
• 25-ISO4-R26-BL	25 m / 300 m	26x3 blue	1.26RI4 P
50-ISO4-R26-RO	50 m / 500 m	26x3 red	1.26RI4 P
50-ISO4-R26-BL	50 m / 500 m	26x3 blue	1.26RI4 P
• 25-ISO4-R32-RO	25 m / 225 m	32x3 red	1.32RI4 P
• 25-ISO4-R32-BL	25 m / 225 m	32x3 blue	1.32RI4 P

TYPE: ISO9 (10 mm)



RIXc Voorgeïsoleerd (Rol)

RIXc Pre-insulated (Coil)

RIXc Préisolé (Rouleau)

RIXc Isoliert (Ring)

Article code	Packing m / pallet	Type	Subgr
50-ISO9-R16-RO	50 m / 650 m	16x2 red	2.16RI9 P
50-ISO9-R16-BL	50 m / 650 m	16x2 blue	2.16RI9 P
• 50-ISO9-R18-RO	50 m / 650 m	18x2 red	2.18RI9 P
• 50-ISO9-R18-BL	50 m / 650 m	18x2 blue	2.18RI9 P
50-ISO9-R20-RO	50 m / 500 m	20x2 red	2.20RI9 P
50-ISO9-R20-BL	50 m / 500 m	20x2 blue	2.20RI9 P
25-ISO9-R26-RO	25 m / 275 m	26x3 red	2.26RI9 P
25-ISO9-R26-BL	25 m / 275 m	26x3 blue	2.26RI9 P
• 25-ISO9-R32-RO	25 m / 250 m	32x3 red	2.32RI9 P
• 25-ISO9-R32-BL	25 m / 250 m	32x3 blue	2.32RI9 P

TYPE: ISO13 (13 mm)



RIXc Voorgeïsoleerd (Rol)

RIXc Pre-insulated (Coil)

RIXc Préisolé (Rouleau)

RIXc Isoliert (Ring)

Article code	Packing m / pallet	Type	Subgr
50-ISO13-R16-BL	50 m / 400 m	16x2 blue	3.16RI13 P
• 50-ISO13-R18-BL	50 m / 400 m	18x2 blue	3.18RI13 P
50-ISO13-R20-BL	50 m / 400 m	20x2 blue	3.20RI13 P
50-ISO13-R26-BL	50 m / 400 m	26x3 blue	3.26RI13 P
• 25-ISO13-R32-BL	25 m / 250 m	32x3 blue	3.32RI13 P

B. RIXc (PE-Xc/AL/PE-Xc)



TYPE: RIXc PIPE IN PIPE



RIXc Met mantel (Rol)

RIXc With colour coded conduit (Coil)

RIXc Avec gainé (Rouleau)

RIXc Mit Mantel (Ring)

Article code	Packing m / pallet	Type	Subgr
• 25-R16MR	25 m / 800 m	16x2 red	1.16RTP P
• 25-R16MB	25 m / 800 m	16x2 blue	1.16RTP P
• 25-R16MBLACK	25 m / 800 m	16x2 black	1.16RTP P
50-R16MR	50 m / 800 m	16x2 red	1.16RTP P
50-R16MB	50 m / 800 m	16x2 blue	1.16RTP P
50-R16MBLACK	50 m / 800 m	16x2 black	1.16RTP P
100-R16MR	100 m / 1000 m	16x2 red	1.16RTP P
100-R16MB	100 m / 1000 m	16x2 blue	1.16RTP P
100-R16MBLACK	100 m / 1000 m	16x2 black	1.16RTP P
• 50-R18MR	50 m / 800 m	18x2 red	1.18RTP P
• 50-R18MB	50 m / 800 m	18x2 blue	1.18RTP P
• 50-R18MBLACK	50 m / 800 m	18x2 black	1.18RTP P
• 100-R18MR	100 m / 1000 m	18x2 red	1.18RTP P
• 100-R18MB	100 m / 1000 m	18x2 blue	1.18RTP P
• 100-R18MBLACK	100 m / 1000 m	18x2 black	1.18RTP P
• 25-R20MR	25 m / 800 m	20x2 red	1.20RTP P
• 25-R20MB	25 m / 800 m	20x2 blue	1.20RTP P
• 25-R20MBLACK	25 m / 800 m	20x2 black	1.20RTP P
50-R20MR	50 m / 800 m	20x2 red	1.20RTP P
50-R20MB	50 m / 800 m	20x2 blue	1.20RTP P
50-R20MBLACK	50 m / 800 m	20x2 black	1.20RTP P
100-R20MR	100 m / 1000 m	20x2 red	1.20RTP P
100-R20MB	100 m / 1000 m	20x2 blue	1.20RTP P
100-R20MBLACK	100 m / 1000 m	20x2 black	1.20RTP P
• 50-R26MR	50 m / 500 m	26x3 red	1.26RTP P
• 50-R26MB	50 m / 500 m	26x3 blue	1.26RTP P
• 50-R26MBLACK	50 m / 500 m	26x3 black	1.26RTP P
• 25-R32MR	50 m	32x3 red	1.32RTP P
• 25-R32MB	50 m	32x3 blue	1.32RTP P
• 25-R32MBLACK	50 m	32x3 black	1.32RTP P

TYPE: COMBI RIXc



Henco Combi (Rol)

Henco Combi (Coil)

Henco Combi (Rouleau)

Henco Combi (Ring)

Article code	Packing m / pallet	Type	Subgr
50-COMBI16R	50 m / 500 m	16x2	2.16RTP P



C. FLOOR (PE-RT/AL/PE-RT)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

TYPE: FLOOR



Henco meerlagenbuis (Rol)
Henco multilayer pipe (Coil)
Henco tube multicouche (Rouleau)
Henco Mehrschichtverbundrohr (Ring)

Article code	Packing m / pallet	Type	Subgr
100-F16 *	100 m / 2200 m	16x2	1.16FLO P
200-F16 *	200 m / 2600 m	16x2	1.16FLO P
100-F17 *	100 m / 2000 m	17x2	1.17FLO P
200-F17 *	200 m / 2300 m	17x2	1.17FLO P
100-F20 *	100 m / 1500 m	20x2	1.20FLO P
200-F20 *	200 m / 1500 m	20x2	1.20FLO P

* 6 bar - 60°C

D. PROTECTION HOSE



TYPE: PROTECTION HOSE



Mantel (Rol)
Colour coded conduit (Coil)
Gaine (Rouleau)
Mantel (Ring)

Article code	Packing m / pallet	Type	Subgr
100-MR	100 m / 2800 m	14x2 - 16x2 - 18x2 red (ID19-OD23)	1.16PR P
100-MB	100 m / 2800 m	14x2 - 16x2 - 18x2 blue (ID19-OD23)	1.16PR P
50-MR20	50 m / 2200 m	20x2 red (ID23-OD28)	1.20PR P
50-MB20	50 m / 2200 m	20x2 blue (ID23-OD28)	1.20PR P
50-MR26	50 m / 2000 m	26x3 red (ID29,5-OD34)	1.26PR P
50-MB26	50 m / 2000 m	26x3 blue (ID29,5-OD34)	1.26PR P
25-MR32	25 m / 1000 m	32x3 red (ID36,5-OD41,5)	1.32PR P
25-MB32	25 m / 1000 m	32x3 blue (ID36,5-OD41,5)	1.32PR P
100-MBLACK	100 m / 2800 m	14x2 - 16x2 - 18x2 black (ID19-OD23)	1.16PR P
50-MBLACK20	50 m / 2200 m	20x2 black (ID23-OD28)	1.20PR P
50-MBLACK26	50 m / 2000 m	26x3 black (ID29,5-OD34)	1.26PR P

TYPE: PROTECTION HOSE GAS



Mantel (Rol)
Colour coded conduit (Coil)
Gaine (Rouleau)
Mantel (Ring)

Article code	Packing m / pallet	Type	Subgr
50-MG16	50 m / 2000 m	16x2 yellow	1.16PR GA
50-MG20	50 m / 1200 m	20x2 yellow	1.20PR GA
50-MG26	50 m / 1200 m	26x3 yellow	1.26PR GA
50-MG32	25 m	32x3 yellow	1.32PR GA

E. GAS STANDARD (PE-Xc/AL/PE-Xc)

Gas: enkel toegelaten in landen waar keuring HENCO GAS gebeurd is + certificaat voorhanden is!
Gas: only allowed in countries where has been a HENCO GAS testing + certificate is available!
Gas: seulement permis dans des pays où le contrôle a eu lieu + certificat est disponible!
Gas: nur zugelassen in Länder wo HENCO GAS Prüfung geschehen ist + Zertifikate vorhanden ist!

TYPE: COIL



Henco Meerlagenbuis (Rol)
 Henco multilayer pipe (Coil)
 Henco tube multicouche (Rouleau)
 Henco Mehrschichtverbundrohr (Ring)

Article code	Packing m / pallet	Type	Subgr
50-160212-GAS	50 m / 2000 m	16x2	1.16GA
50-200216-GAS	50 m / 1000 m	20x2	1.20GA
50-260320-GAS	50 m / 800 m	26x3	1.26GA
50-320326-GAS	50 m / 650 m	32x3	1.32GA

TYPE: STRAIGHT LENGTH



Henco Meerlagenbuis (Stang)
 Henco multilayer pipe (Straight length)
 Henco tube multicouche (Barre)
 Henco Mehrschichtverbundrohr (Stange)

Article code	Packing m / cylinder	Type	Subgr
05-160212-GAS	125 m	16x2	2.16GA B
05-200216-GAS	90 m	20x2	2.20GA B
05-260320-GAS	50 m	26x3	2.26GA B
05-320326-GAS	35 m	32x3	2.32GA B
• 05-403533-GAS		40x3,5	2.40GA B

TYPE: GAS PIPE IN PIPE



Met mantel (Rol)
 With colour coded conduit (Coil)
 Avec gaine (Rouleau)
 Mit Mantel (Ring)

Article code	Packing m / pallet	Type	Subgr
50-016GASMG	50 m / 800 m	16x2	1.16GATP
50-020GASMG	50 m / 800 m	20x2	1.20GATP
50-026GASMG	50 m / 500 m	26x3	1.26GATP
50-032GASMG	50 m	32x3	1.32GATP